CABLE STEERING PARTS

CABLE CLAMPS



Securely fasten steering cables with these copper clamps. Provides a positive lock to to our stainless steel cable.

Diameter 3/16"

Item No. 340

STEERING CHAIN



Chain is 24" in length.

Item No. 385

STAINLESS STEEL STEERING CABLE



Non-corrosive, strong steering cable. Has a high resistance to abrasion.

Diameter 3/16"

Item No. 338

STEERING SHAFTS

Description Catalog No. Item No.

36" Stainless Steel 391 48" Stainless Steel 392

Shafts are 3/4" in diameter with a standard taper. Includes 5/8"-18 SAE standard lock nut and woodruff key.

STEERING TURNBUCKLE



Item No. 386

STEERING BEARING



Item No. 383

FITTINGS · THRU-HULL · HOSE · CLAMPS

STAINLESS THRU HULL

Stainless steel thru hull for 1/2" No. 8-AN and 5/8" No. 10-AN hose fitting.

Description	Item No.
No. 8-AN	409
No. 10-AN	1770

HOSE CLAMPS STAINLESS STEEL



			Pipe Size	Hose Size	Description	Item No.
Minimum	Maximum		1/8"	3/8"	01838	666
Diameter	Diameter	Item No.	1/4"	3/8"	01438	665
			3/8"	3/8"	03838	669
7/32"	5/8"	810	3/8"	1/2"	03812	668
7/16"	25/32"	811	3/8"	5/8"	03858	670
1/2"	29/32"	812	1/2"	5/8"	01258	664
9/16"	1 -1/16"	813	1/2"	3/4"	01234	1750
11/16"	1-1/4"	814	3/4"	3/4"	03434	667
13/16"	1-1/2"	815	3/4"	1"	03410	1751
13/16"	1-3/4"	816	3/4"	5/8"	03458	1752
1-1/6"	2"	817				C.L.
1-5/16"	2-1/4"	818		**	-	and the second second
1-9/16"	2-1/2"	819		90° ELBOWS		
1-13/16"	2-3/4"	820	Pipe Size	Hoso Sizo	Description	Item No.
2- 1/16"	3″	821	ripe size	HOSE SIZE	Description	nem No.
2- 5/16"	3-1/4"	823	1/4"	3/8"	91438	672
2- 9/16"	3-1/2"	824	3/8"	1/2"	93812	674
2- 13/16"	3-3/4"	825	3/8"	5/8"	93858	675
3-1/6"	4"	826	1/2"	5/8"	91258	671
3- 5/16"	4- 1/4"	827	1/2"	3/4"	91234	1760
3 -9/16"	4-1/2"	828	3/4"	3/4"	93434	673
4 -1/16"	5"	1638	3/8"	3/8"	93838	1761
4-1/16	ວ	1030	3/4"	1″	93410	1762

STAINLESS THRU HULL



Stainless steel thru hull used for overboard water discharge. Use 1/2" hose. Item No.

404

PIPE TO HOSE FITTINGS **BRASS/CHROME PLATED**



Pipe Size	Hose Size	Description	Item No.
1/8"	3/8"	01838	666
1/4"	3/8"	01438	665
3/8"	3/8"	03838	669
3/8"	1/2"	03812	668
3/8"	5/8"	03858	670
1/2"	5/8"	01258	664
1/2"	3/4"	01234	1750
3/4"	3/4"	03434	667
3/4"	1"	03410	1751
3/4"	5/8"	03458	1752

3/4"

ALT/THROTTLE BRACKETS • CLAMPS • PROP PULLERS

ALTERNATOR BRACKET

CAST ALUMINUM - Ideal for all applications. A universal alternator bracket.

> Item No. 957



THROTTLE BRACKET

Eliminate troublesome carburetor linkage hook-up with this throttle bracket designed for Holley carburetors. Stamped steel construction and chrome plated. Includes cable clamp, screws and nuts.

> Item No. 965



CABLE CLAMP - STAINLESS STEEL

Securely lock your 33C Cables with this easy to mount stainless steel cable clamp.

> Item No. 159



UNIVERSAL PROP PULLER

CAST MANGANESE BRONZE

Works equally well for 2 or 3 blade props - Does not work on 4-blade props. Will accommodate propellers up to 13" in diameter. Has a single hardened bolt and an opening of 4-5/8" maximum.

Length: 7".

FOR 1" SHAFTS ONLY.



Item No. 870

STANDARD PROP PULLER **CAST BRONZE**

Small puller for 3 blade props **only** which is ideal when the prop is located close to the strut. Pulls from three directions.

Length: 53/4"



FOR 1" SHAFTS ONLY.

Item No. 829